

	Hits	Search Text	DBs
1	1	S3 not S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	3	S1 and ((generat\$4 or creat\$4 or build\$4 or form\$4) with report\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	4	(word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) and sentence\$1 and modifier\$1 and ((repeat\$4 or replicat\$4 or re\$1cur\$4 or re\$1occur\$4 or re\$1literat\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with (eliminat\$4 or delet\$4 or remov\$4)) and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
4	3	(word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) and sentence\$1 and modifier\$1 and ((repeat\$4 or replicat\$4 or re\$1cur\$4 or re\$1occur\$4 or re\$1literat\$4) near5 (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) near9 (eliminat\$4 or delet\$4 or remov\$4)) and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	25632	(five with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	4	S6 and order\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	17	sentence\$1 and entr\$3 and text and modifier\$1 and (word\$1 or phrase\$1) and @ad < "20010801" and punctuation\$1 and conjunctive\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	4	S7 and report\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	0	S13 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	4	(word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) and sentence\$1 and modifier\$1 and ((repeat\$4 or replicat\$4 or re\$1cur\$4 or re\$1occur\$4 or re\$1literat\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with (eliminat\$4 or delet\$4 or remov\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1)) and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	S12 and (five with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	3	S23 and reports	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	0	S17 and ((repeat\$4 or replicat\$4 or re\$1cur\$4 or re\$1occur\$4 or re\$1literat\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with (eliminat\$4 or delet\$4 or remov\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	5	S23 and report\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3	S25 and tree\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	4	S8 and english	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	5	(("6205456") or ("6609091") or ("4914590") or ("6199034") or ("20030191627")) .PN.	US-PGPUB; USPAT
18	4	S10 and five	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	5	S17 and ((select\$4 or choos\$4 or pick\$4 or decid\$4 or ((opt\$4 or go\$4) adj for)) near5 (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	4	(word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) and sentence\$1 and modifier\$1 and ((repeat\$4 or replicat\$4 or re\$1cur\$4 or re\$1occur\$4 or re\$1literat\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with (eliminat\$4 or delet\$4 or remov\$4)) and @ad < "20010810"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	4	S20 and report\$4 and order\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	5	S5 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	4	S11 and ((select\$4 or choos\$4 or pick\$4 or decid\$4 or ((opt\$4 or go\$4) adj for)) near5 (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	5	S16 and (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) and sentence\$1 and modifier\$1 and @ad < "20010810"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	0	S17 and ((repeat\$4 or replicat\$4 or re\$1cur\$4 or re\$1occur\$4 or re\$1iterat\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with (eliminat\$4 or delet\$4 or remov\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	0	S8 and medical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1	S26 and (clinical or medical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
28	1	"4994966".PN.	USPAT; USOCR
29	1	"5091950".PN.	USPAT; USOCR
30	1	"4864503".PN.	USPAT; USOCR
31	1	"5321607".PN.	USPAT; USOCR
32	5	S41 and modifier\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	68	S37 and ((limit\$4 or control\$4) with number\$1 with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with sentence\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	S32 and ((repeat\$4 or replicat\$4 or re\$1cur\$4 or re\$1occur\$4 or re\$1literat\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with (eliminat\$4 or delet\$4 or remov\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
35	0	S33 and ((repeat\$4 or replicat\$4 or re\$1cur\$4 or re\$1occur\$4 or re\$1literat\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with (eliminat\$4 or delet\$4 or remov\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	37387	(enter\$4 or entr\$3) and record\$4 and distribut\$4 and report\$4 and @ad < "20010810"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	2	S37 and ((select\$4 or choos\$4 or pick\$4 or decid\$4 or ((opt\$4 or go\$4) adj for)) same (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) same (report\$4 with entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	1	"5321607".PN.	USPAT; USOCR
39	1	"5475587".PN.	USPAT; USOCR
40	1	"4706212".PN.	USPAT; USOCR
41	1	"5721938".PN.	USPAT; USOCR
42	8277	S28 and @ad < "20010810"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
43	0	S37 and ((select\$4 or choos\$4 or pick\$4 or decid\$4 or ((opt\$4 or go\$4) adj for)) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with (report\$4 with entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	9792	((generat\$4 or creat\$4 or build\$4 or form\$4 or structur\$4) with sentence\$1) and @ad < "20010810"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	2	("6609091").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	1	"5355493".PN.	USPAT; USOCR
47	2	S61 and modifier\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	377	S37 and ((limit\$4 or control\$4) with number\$1 with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	2	S64 and punctuation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
50	3	S67 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	1	"4829423".PN.	USPAT; USOCR
52	0	S62 and conjunctive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	2	S62 and conjunc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	1651	((repeat\$4 or replicat\$4 or re\$1cur\$4 or re\$1occur\$4 or re\$1iterat\$4) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with (eliminat\$4 or delet\$4 or remov\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	364	S66 and ((combin\$4 or generat\$4 or creat\$4 or form\$4 or build\$4) with sentence\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	2	("5297040").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
57	5	S32 and modifier\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	4	((generat\$4 or creat\$4 or build\$4 or form\$4 or structur\$4) with sentence\$1 with report\$4 with entr\$4) and @ad < "20010810"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	26	S29 and (((combin\$4 or generat\$4 or creat\$4 or form\$4 or build\$4) with sentence\$1) with (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1) with sentence\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	42	S30 and (word\$1 or term\$1 or key\$1word\$1 or key\$1term\$1 or phrase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	1	"4984178".PN.	USPAT; USOCR
62	1	"5297040".PN.	USPAT; USOCR
63	1	"4887212".PN.	USPAT; USOCR
64	42	S29 and ((combin\$4 or generat\$4 or creat\$4 or form\$4 or build\$4) with sentence\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	1	"4868750".PN.	USPAT; USOCR

	Hits	Search Text	DBs
66	1	"5222187".PN.	USPAT; USOCR
67	1	"5128865".PN.	USPAT; USOCR
68	16643	((clinical or medicinal or medical or health or physical) with entr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	57	distribution with option with database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	24	S80 and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	0	S81 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	2350	(retain\$4 or sav\$4 or maintain\$4) with record\$1 with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	0	S82 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
74	0	S81 and ((retain\$4 or stor\$4 or log\$4 or backup or archiv\$4 or sav\$4) with record\$1 with (sent or distributed) with address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	19	S85 and address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	19	S81 and ((retain\$4 or stor\$4 or log\$4 or backup or archiv\$4 or sav\$4) with record\$1 with (sent or distributed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	1	("20020016718").PN.	US-PGPUB; USPAT
78	596	(retain\$4 or sav\$4)with record\$1 with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	21	S75 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	1	("20010029322").PN.	US-PGPUB; USPAT
81	1	("6154726").PN.	US-PGPUB; USPAT
82	12	retain\$4 with database\$1 with record\$1 with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
83	5	S71 and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	1	S72 and (distribut\$4 near3 database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	278	(retain\$4 or sav\$4 or maintain\$4) with database\$1 with record\$1 with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	135	S74 and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	1	S75 and (distribut\$4 with (option\$1 and database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	0	distribution with option with database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB